

Tabelle A.2: 6-Punkte-Braillezeichen entspr.
der Numerierung in Unicode – **10 240–10 259**
(Unicode-nr., Braille- und ASCII-Braille-Zeichen)

1024...	...0	...1	...2	...3	...4
	10240	10241	10242	10243	10244
	[Leer]	A	,	B	.
	...5	...6	...7	...8	...9
	10245	10246	10247	10248	10249
	K	;	L	"	C
1025...	...0	...1	...2	...3	...4
	10250	10251	10252	10253	10254
	I	F	\	M	S
	...5	...6	...7	...8	...9
	10255	10256	10257	10258	10259
	P	!	E	:	H

Tabelle A.2: 6-Punkte-Braillezeichen entspr.
der Numerierung in Unicode – **10 260–10 279**
(Unicode-nr., Braille- und ASCII-Braille-Zeichen)

1026...	...0	...1	...2	...3	...4
	10260	10261	10262	10263	10264
	*	O	+	R	>
	...5	...6	...7	...8	...9
	10265	10266	10267	10268	10269
	D	J	G	@	N
1027...	...0	...1	...2	...3	...4
	10270	10271	10272	10273	10274
	T	Q	'	1	?
	...5	...6	...7	...8	...9
	10275	10276	10277	10278	10279
	2	-	U	(	V

Tabelle A.2: 6-Punkte-Braillezeichen entspr.
der Numerierung in Unicode – **10 280–10 303**
(Unicode-nr., Braille- und ASCII-Braille-Zeichen)

1028...	...0	...1	...2	...3	...4
	10280	10281	10282	10283	10284
	\$	3	9	6	0
	...5	...6	...7	...8	...9
	10285	10286	10287	10288	10289
	x	^	&	<	5
1029...	...0	...1	...2	...3	...4
	10290	10291	10292	10293	10294
	/	8	)	z	=
	...5	...6	...7	...8	...9
	10295	10296	10297	10298	10299
	[	_	4	w	7
1030...	...0	...1	...2	...3	
	10300	10301	10302	10303	
	#	y	]	%	